



case extraction-conditions-000001 · generated 2026-09-25T06:16:40Z · pdfredev1 0.1.1

RENDERING CONDITION MATRIX

Synthetic benchmark page - every value below is invented and refers to no real person. Purpose: measure which rendering conditions a tool can read at all. One subject - a single first-and-last name - appears under every orientation, polarity, provenance and size, so a cell measures its condition and nothing else; a copy surviving anywhere means the subject is still disclosed.

UPRIGHT - POLARITY AND GROUND

[t001] 	[t002] 	[t003] 	[t004]
[t005] 	[t006] 		

SMALL TYPE

[t007] 	[t008] 	[t009] 	[t010] 	[t011]
[t012] 	[t013] 			

RASTERISED - NO TEXT LAYER

[t014] 	[t015] 	[t016] 	[t017]
[t018] Name:	[t019] Freya Yamamoto	[t020] Freya Yamamoto	[t021] Name:
[t022] 	[t023] 	[t024] 	[t025]
[t026] 	[t027] 	[t028] 	[t029]
[t030] 	[t031] 		

ROTATED

[t032] 	[t033] 	[t034] 	[t035] 	[t036] Freya Yamamoto
[t037] 	[t038] 	[t039] 	[t040] Name: Freya Yamamoto	

TURNED AND STACKED

[t041] 	[t042] 	[t043] 	[t044] 	[t045] 	[t046] 	[t047] 	[t048] 	[t049] 	[t050] 	[t051] 	[t052] 	[t053] 	[t054]
------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------	------------